Overview 0
Cabinets 1
Wall mounted cases 2
Accessories for cabinets and wall mounted cases 3
Climate control 4
Desk-top cases 5
Subracks/ 19" chassis 6
Front panels, plug-in units 7
Systems 8
Power supply units 9
Backplanes 10
Connectors, front panel component system 11
Appendix 12

Desk-top cases – *comptec*

02202003

Standards

- Internal dimensions in accordance with IEC 60297-3-100
- Type of protection IP 20 in accordance with IEC 60529
- Protective ground connections in accordance with:
  DIN EN 50178/VDE 0160
  DIN EN 60950/VDE 0805
  DIN EN 61010-1/VDE 0411 part 1
  DIN EN 61010-1A2/VDE 0411 part 1/A1

Downloads and further important information can be found on the Internet under www.schroff.biz

Overview 5.92

Case to accept 19" subracks or 19" subrack enclosures

- Internal assemblies of up to 40 kg
- Up to six rows of ventilation slots in the base plate for optimal air inlet
- High stability
- Front and rear identical, depth-symmetrical construction
- With handle strip or recessed grip

Steel case

- Al die-cast frame front and rear, cladding parts in steel
- Top cover and base plate removable subsequently
- Top cover and base plate equipped with hidden GND/earthing connections
- Case heights 3, 4, 6, 7 and 9 U

Aluminium case

- Al die-cast frame front and rear, cladding parts in aluminium
- Top cover and base plate removable subsequently
- Top cover and base plate equipped with hidden GND/earthing connections
- Case heights 9 U and 12 U

ServicePLUS from page 5.110

e.g. modifications (special colours, cut-outs)
e.g. custom solutions (special sizes)
e.g. assembly service from 1 piece

www.schroff.biz/serviceplus/

comptec
3, 4 U, St 5.94
6, 7, 9 U, St 5.95
9, 12 U, Al 5.96

Accessories
Folding handles. . 5.97
Slide rails. 5.97
Earthing kit 5.98
Assembly kit 5.98
Tip-up feet 5.99

ServicePLUS . 5.110

19" cases 3 and 4 U

02202001



CTTP0001

Front view



CTA30677

Usable width b = B - 69 mm, h = height of case foot

Side view

CTA42313

Usable width b = B - 69 mm,
h = height of case foot

- Desk-top enclosure (pre-assembled)
- Steel top cover, base plate and rear panel
- Al die-cast front and rear frames
- Ventilation slots in base plate
- Air vents in rear panel

Delivery comprises (kit)

Item	Qty	Description
1	1	Front frame, Al die-cast, RAL 7016, with 19" grid
2	1	Rear frame, Al die-cast, RAL 7016, with 19" grid
5	2	Side panel, Al extrusion, RAL 7016
7	1	Cover plate, Al, 1 mm, RAL 9006, with GND/earthing tag
8	1	Base plate, Al, 1 mm, RAL 9006, with GND/earthing tag
9	1	Rear panel, St, 1 mm, RAL 9006, with GND/earthing tag
10	4	Case foot with anti-slip protection, PC, black, UL 94 V-0
11	1	Assembly kit

Items 1, 2, 5 and 9 fitted

Order information

Height H		h	Depth D	Usable depth d	Width	Part no.
U	mm	mm	mm	mm	mm	
3	153	13.0	300	276	520	**10225-601**
3	153	13.0	400	376	520	**10225-612**
3	153	13.0	500	476	520	**10225-623**
4	198	13.0	300	276	520	**10225-602**
4	198	13.0	400	376	520	**10225-613**
4	198	13.0	500	476	520	**10225-624**

Note

- Please order earthing kit separately, see page 5.98
- Case foot (item 10) can be replaced by a tip-up foot, see page 5.99
- Please order slide rails separately, see page 5.97

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

ServicePLUS see page 5.110

Part number in bold face type: ready for despatch within 2 working days
Part number in normal type: ready for despatch within 10 working days

19" case 6 - 9 U

02202002



CTTP0002

Front view



CTA30676

Usable width b = B - 69 mm, h = height of case foot

Side view



CTA42312

Usable depth d = D - 24 mm

- Desk-top enclosure (pre-assembled)
- With handle shell
- Steel top cover, base plate and rear panel
- Al die-cast front and rear frames
- Ventilation slots in base plate
- Air vents in rear panel

Delivery comprises (kit)

Item	Qty	Description
1	1	Front frame, Al die-cast, RAL 7016, with 19" grid
2	1	Rear frame, Al die-cast, RAL 7016, with 19" grid
3	2	Side profile at top, Al extrusion, RAL 7016
4	2	Side profile at bottom, Al extrusion, RAL 7016
5	2	Side panel, St, 1.5 mm, RAL 9006, with GND/earthing tag
6	2	Handle shell, PC, RAL 7016, UL 94 V-0, load-carrying capacity: 60 kg/pair
7	1	Cover plate, Al, 1 mm, RAL 9006, with GND/earthing tag
8	1	Base plate, Al, 1 mm, RAL 9006, with GND/earthing tag
9	1	Rear panel, St, 1 mm, RAL 9006, with GND/earthing tag
10	4	Case foot with anti-slip protection, PC, black, UL 94 V-0
11	1	Assembly kit

Items 1, 2, 3, 4, 5, 6 and 9 fitted.

Order information

Height H		h	Depth D	Usable depth d	Width	Part no.
U	mm	mm	mm	mm	mm	
6	286	13	300	276	520	**10225-604**
6	286	13	400	376	520	**10225-615**
6	286	13	500	476	520	**10225-626**
6	286	13	600	576	520	**10225-637**
7	331	13	400	376	520	**10225-616**
7	331	13	500	476	520	**10225-627**
7	331	13	600	576	520	**10225-638**
9	420	13	400	376	520	**10225-618**
9	420	13	500	476	520	**10225-629**
9	420	13	600	576	520	**10225-640**

Note

- Please order earthing kit separately, see page 5.98
- Case foot (item 10) can be replaced by a tip-up foot, see page 5.99
- Please order slide rails separately, see page 5.97
- Handle shell item 6 can be replaced by a folding handle, see page 5.97

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

ServicePLUS see page 5.110

Folding handles



CTTP0006

- Folding handles can be used instead of the pre-mounted handles shells.
- Load-carrying capacity: 50 kg/pair

Delivery comprises (kit)

Item	Qty	Description
1	2	Folding handle, Al die-cast, RAL 7016
2	1	Assembly kit

Order information

Description	Part no.
Folding handle	**20225-439**

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

Slide rails



CTTP0005

- Slide rails are suitable as support for 19" subracks and 19" chassis

Delivery comprises

Item	Qty	Description
1	1	Slide rail, Al extrusion, anodised, cut edges plain, load-carrying capacity 10 kg

Order information

For case depth mm	Part no.
300	**30225-089**
400	**30225-090**
500	**30225-091**
600	**30225-092**

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

GND/earthing kit



aza43284

- The GND/earthing kit allows VDE compliant earthing of cases in accordance with:
  EN 50178/VDE 0160
  EN 60950/VDE 0805
  EN 61010-1/VDE 0411 part 1
  EN 61010-1A2/VDE 0411 part 1/A
- VDE tested

Delivery comprises (kit)

Item	Qty	Description
1	1	GND/earthing kit, Cu wire, 1.5 mm^2, PVC sheathing, green/yellow, connects side panels, cover, base and rear panel

Order information

Description	Up to 4 U Part no.	bigger than 4 U Part no.
GND/earthing kit for cases with steel covers	**21100-490**	**21100-448**
GND/earthing kit for cases with aluminium covers	–	**21100-347**

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

19" fixing



SC128XXX



06108055

- For fitting subracks or 19" subrack enclosures in a comptec case
- For fixing 19" front panels

Delivery comprises

Item	Description
1	Screw M6 × 16, zinc-plated with Pozidrive
2	Cage nut M6, zinc-plated
3	Plastic washer, ABS, black

Order information

Description	Part no.
PU = 8 × screw, washer, nut	**21100-435**
PU = 50 × screw, washer, nut	**21101-809**
PU = 100 × screw, washer, nut	**21101-810**

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

Part number in bold face type: ready for despatch within 2 working days
Part number in normal type: ready for despatch within 10 working days

Plastic tip-up foot



- Tip-up feet can be used instead of the pre-mounted case feet
- Load-carrying capacity 25 kg per foot
- Mounting holes in bottom of case

Delivery comprises (kit)

Item	Qty	Description
1	4	Foot, PA, UL 94 V-0
2	4	Anti-slip protection, TPE
3	2	Tip-up device, PA ,UL 94 V-0
4	1	Assembly kit

Order information

Description	RAL 7016 anthracite Part no.	RAL 9006 silver Part no.
Plastic tip-up foot	**20603-002**	**20603-001**

For further information www.schroff.biz/oneclick
oneClick search code = Part no.

Al die-cast foot with/without tip-up



- Tip-up feet can be used instead of the pre-mounted case feet
- Load-carrying capacity: 50 kg per foot
- Mounting holes in bottom of case

Order information

Description	Qty	Part no.
Foot with tip-up, Al die-cast, silver	1 piece (SPQ 10)[1)]	**10603-002**
Foot without tip-up, Al die-cast, silver	1 piece (SPQ 10)[1)]	**10603-001**
Cheesehead screw with slot M4 × 12, St, zinc-plated, PU 100 pieces		**21101-211**
Hexagon nut M4, St, zinc-plated, PU 100 pieces		**21100-211**
Spring washer A4, St, zinc-plated, PU 100 pieces		**21100-207**

1) Order no. comprises 1 piece. Delivery is exclusively in standard pack quantity (SPQ): Please order a minimum of 10 feet or a multiple. Pricing is per individual item.

For further information www.schroff.biz/oneclick
oneClick search code = Part no.