Fuse holder - SI-H-FKS 30 - 1727528

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Printed circuit fuse carrier, for 5 mm wide automotive flat-type fuses up to max. 30 A

Product Features

- Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V
- With snap-in foot for secure pre-assembly on the PCB

Key commercial data

Packing unit	1 pc
GTIN	4 017918 025700
Weight per Piece (excluding packing)	3.228 GRM
Custom tariff number	85369085
Country of origin	Mexico

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440490
eCl@ss 8.0	27440490

ETIM

ETIM 3.0	EC002298
ETIM 4.0	EC002498

Fuse holder - SI-H-FKS 30 - 1727528

Classifications

ETIM

ETIM 5.0	EC002298

UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

Approvals

Approvals

Approvals

CSA / UL Recognized / GOST / GOST

Ex Approvals

Approvals submitted

Approval details

CSA

UL Recognized

	B	C
Nominal current IN	30 A	30 A
Nominal voltage UN	32 V	300 V

GOST

Fuse holder - SI-H-FKS 30 - 1727528

Approvals

GOST

Drawings

Dimensioned drawing



Drilling diagram



Phoenix Contact 2014 © - all rights reserved
http://www.phoenixcontact.com