SPECIFICATION

# IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

THIS IS A CLASS 1 DOCUMENT WHICH IS NONCONFIDENTIAL.

*The information contained within this document is the property of TE Connectivity. It is supplied in confidence and the commercial security of the contents must be maintained. It must not be used for any purpose other than that for which it is supplied nor may any information contained in it be disclosed to unauthorised persons. It must not be reproduced in whole or in part without obtaining written permission from TE Connectivity (TE).*

**te.com**

TE Connectivity, TE, TE Connectivity (logo) and Every Connection Counts are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

# Table of Contents

**Introduction** ..... 3
**SECTION 1, CURRENT THERMAL TRANSFER PRINTERS** ..... 4
**T2212-PRINTER/T200-Ident-Printer** ..... 4
Cable Identification markers ..... 4
**T2212-PRINTER/T200-Ident-Printer** ..... 5
Continuous Tube ..... 5
**T2212-PRINTER/T200-Ident-Printer** ..... 6
Labels ..... 6
**T3212-PRINTER/TE3112-PRINTER & T3224-PRINTER/TE3124-PRINTER** ..... 7
Cable Identification markers ..... 7
**T3212-PRINTER/TE3112-PRINTER & T3224-PRINTER/TE3124-PRINTER** ..... 8
Continuous Tube ..... 8
**T3212-PRINTER/TE3112-PRINTER & T3224-PRINTER/TE3124-PRINTER** ..... 9
Labels ..... 9
**T7112DS-PRINTER** ..... 10
Continuous Tube ..... 10
**T7112DS-PRINTER** ..... 11
Labels ..... 11
**SQUIX 6.3/300 Printer** ..... 12
**SECTION 2, CURRENT INK JET & LASER PRINTERS** ..... 12
**Ink Jet Printers** ..... 12
**Epson GP-C831** ..... 12
**Epson WF-7310DTW** ..... 12
**Laser Printers** ..... 12
**HP M452nw Laser Jet Pro** ..... 12
**SL-M2026W A4 Mono Wireless Laser Printer** ..... 12
**SECTION 3, TERMINAL BLOCK TT PRINTER** ..... 13
**HTP600 Printer** ..... 13
**SECTION 4, RIBBON ORDERING DETAILS** ..... 14
**Cable Identification markers (25.4mm ID core) ordering details** ..... 14
**Cable Identification markers (12.7mm ID core) ordering details** ..... 14
**Labels (25.4mm ID core) ordering details** ..... 15
**Labels (12.7mm ID core) ordering details** ..... 15
**Trademarks** ..... 16
**Related Documents:** ..... 16
**SECTION 5, DISCONTINUED TT PRINTERS** ..... 17
**T208M-Printer and T212M-Printer (Discontinued)** ..... 17
Cable Identification markers ..... 17
Labels ..... 17
**T200-Label-Printer (Discontinued)** ..... 18
Labels (Only) ..... 18

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

**T312M-Printer and T312Mi-Printer (Discontinued)** ..... 19
Cable Identification markers ..... 19
**T312M-Printer and T312Mi-Printer (Discontinued)** ..... 20
Labels ..... 20
**T612M-DS-Printer (Discontinued)** ..... 21
Cable Identification Markers ..... 21
**T6112DS-Printer (Discontinued)** ..... 22
Continuous Tube ..... 22
**TTD03E / TTD04E / TTD05E / TTD06E-Printer (Discontinued)** ..... 23
**TTD03E / TTD04E / TTD05E / TTD06E-Printer (Discontinued)** ..... 23
**TTP5200 / TTP5300 Printer (Discontinued)** ..... 24
**TTP5200 / TTP5300 Printer (Discontinued)** ..... 24
**T408M-Printer (Discontinued)** ..... 25
**T308S / T312S-Printer (Discontinued)** ..... 26
Labels (only) ..... 26
**T2000CT-Printer (Discontinued)** ..... 26
**SECTION 6, DISCONTINUED INKJET & CARD PRINTERS** ..... 27
**Epson WF-C5710 (Discontinued)** ..... 27
**Epson WF-R5190DW (Discontinued)** ..... 27
**Epson B-310N** INKJET **(Discontinued)** ..... 27
**Epson Stylus Photo R285** INKJET **(Discontinued)** ..... 27
**Epson Stylus Colour 1520** INKJET **(Discontinued)** ..... 27
**Epson WF-4820DWF** ..... 27
**BTT-02** Card printer **(Discontinued)** ..... 27

# Introduction

It is essential that the combination of Printers, Products and Ribbons or Inks are correct, to ensure the best print quality and mark permanence.
Each combination of Printer, Product, Ribbon and Ink have been evaluated for Print quality and tested for mark permanence. Any deviation from the information contained in this document will invalidate any assurances of print quality and mark permanence.

This document supersedes all previous documents detailing Identification printer, ribbon and product combinations. Please always check for the latest revision of this document by using the following link or by asking your local TE representative.
Find Documents & Drawings

A downloadable declaration and further information covering RoHS and REACH compliance can be found at the 'TE Product Compliance Support Centre': product-compliance

When selecting a TT ribbon width, it is essential that the ribbon width covers the entire area of the label, to avoid missed print and damage to the print head.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

# SECTION 1, CURRENT THERMAL TRANSFER PRINTERS

## T2212-PRINTER/T200-Ident-Printer

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| *CM-SCE-TP | 1966-RIBBON |
| D-SCE | 1966-RIBBON (For Superior performance)<br>RIB-1982-240-110-L-0-T200 (For above optimal fluid resistance) **NOTE 1**<br>TMS-RJS-RIBBON-4DSCE (For Standard performance) |
| D-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver)<br>T300-RIBBON-WH (White) |
| HLX-NEL | 1966-RIBBON |
| HS | For Print width 60mm and above<br>TMS-RJS-RIBBON-4RPSCE (For Standard performance)<br>1966-RIBBON (For Superior performance)<br>For print width of 60mm or less<br>LBF-2000P-RIBBON-1966-MED |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT (White) |
| HX-SCE | 1966-RIBBON |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| TMS-SCE and TMS-SCE 2X | 1966-RIBBON (For Superior performance)<br>TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver)<br>T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | RIB-1976-300-110-L-0 |
| ZHD-SCE | 1966-RIBBON |

Note 1, RIB-1982-240-110-L-0-T200 must be used on the T200-IDENT printer and T2212-PRINTER to comply with internal capacity requirements.
*When printing CM-SCE-TP, the smooth side of the marker must be used to print onto when using a Thermal Transfer printer. The T200-Ident-Printer is approved for the standard CM-SCE-TP thickness of 0.51mm only.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T2212-PRINTER/T200-Ident-Printer

Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE-FLAT-SP, D-CT Sizes 38.1 | 1966-RIBBON<br>(For Superior performance) |
| | RIB-1982-240-110-L-0-T200<br>(For above optimal fluid resistance) |
| | TMS-RJS-RIBBON-4DSCE<br>(For Standard performance) |
| D-SCE-FLAT-SP, D-CT Sizes 25.0 to 19.0 | RIB-1982-240-110-L-0-T200 |
| | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP, D-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |
| HT-CT Sizes 38.1 and above | TMS-RJS-RIBBON-4HT |
| HT-CT Sizes 25.4 to 19.0 | TMS-RJS-RIBBON-4HT-MED |
| HT-CT Sizes 12.7 to 2.4 | TMS-RJS-RIBBON-4HT-NAR |
| HT-CT (Black) | T300-RIBBON-WH-HT (White) |
| HXCT, HX-CT Sizes 38.1 | 1966-RIBBON |
| HXCT, HX-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| HXCT, HX-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |
| RPS-CT Sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| RPS-CT Sizes 25.4 to 19.0 | 2000P-RIBBON-4TT-MED |
| RPS-CT Sizes 12.7 to 2.4 | 2000P-RIBBON-4TT-NAR |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above | 1966-RIBBON (For Superior performance)<br>TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED (For Superior performance)<br>2000P-RIBBON-4TT-MED (For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 | 1966-RIBBON-NAR (For Superior performance)<br>2000P-RIBBON-4TT-NAR (For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver),<br>T300-RIBBON-WH (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 (Black) | 2000P-RIBBON-4AG-MED (Silver),<br>2000P-RIBBON-WH-MED (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 (Black) | 2000P-RIBBON-4AG-NAR (Silver),<br>2000P-RIBBON-WH-NAR (White) |
| ZHD-CT Sizes 38.1 and above | 1966-RIBBON |
| ZHD-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| ZHD-CT Sizes 12.7 to 2,4 | 1966-RIBBON-NAR |

Note 1, RIB-1982-240-110-L-0-T200 must be used on the T200-IDENT printer and T2212-PRINTER to comply with internal capacity requirements.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T2212-PRINTER/T200-Ident-Printer

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP)<br>Destructible Polyethylene (TN) | 1330-0607-10<br>1330-0607-10 |
| EET…P-8A<br>EET…P-9<br>EET…P-4<br>SET…PSL<br>PVF | For labels with liner width of 64mm or smaller:<br>1330-3300-06<br>For labels with liner width of 64mm to 80mm:<br>1330-3300-08<br>For labels with liner width of 80mm to 110mm:<br>1330-3300-10 |
| HPK | 1330-0607-10 |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| EET…V-8A | RIB-1976-300-110-L-0 |
| EET…PY-9<br>EET…G-4<br>EET…V-4-W<br>EET-SL…V-4-W<br>EET…K-9<br>PPT…DF-4<br>PPT…DF-9<br>KTT | For labels with liner width of 60mm or smaller:<br>RIB-1984-450-60-L-0-IN (RIB-1984-450-60-L-0)<br>For labels with liner width of 88mm to 60mm:<br>RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 88mm:<br>RIB-1984-300-110-L-0 (RIB-1984-360-114-L-0-IN) |
| Polyimide (T1K/T2K) | 1330-0619-10 |
| MC / RC / CP - Strips | RIB-1976-450-25-L-0 |
| Nylon cloth (NC) | 1330-0607-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| PANEL LABEL (PL) | **Standard performance**<br>For labels with liner width of 60mm or smaller: RIB-1984-450-60-L-0<br>For labels with liner width of 88mm to 60mm: RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 88mm: RIB-1984-300-110-L-0<br>**Superior Performance**<br>For labels with liner width of 60mm or smaller: RIB-1976-300-060-L-0<br>For labels with liner width of 110mm to 60mm: RIB-1976-300-110-L-0 |
| SBP | For labels with liner width of 60mm to 100mm: TMS-RJS-RIBBON-4RPSCE.<br>For labels with liner width of 60mm to 40mm: 2000P-RIBBON-4TT-MED<br>For labels with liner width of 40mm or smaller: 2000P-RIBBON-4TT-NAR |
| SP | 1330-0607-10 |
| TTVF | 1330-3300-10<br>T300-RIBBON-WH (White), see note 1 |
| WV / EET…V-9 | 1330-0607-10 (Ink wound out)<br>1330-0507-10 (Ink wound in) |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as Class 3 in accordance with BMS-13-47L section 5.1.12

RIB-1984 suffix "**IN**" signifies Inside wound ink (RIB-1984-360-114-L-0-**IN)**

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T3212-PRINTER/TE3112-PRINTER & T3224-PRINTER/TE3124-PRINTER

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| *CM-SCE-TP | 1966-RIBBON |
| D-SCE | 1966-RIBBON (For Superior performance) |
| | RIB-1982-300-110-L-0 (For above optimal fluid resistance) |
| | TMS-RJS-RIBBON-4DSCE (For Standard performance) |
| D-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver)<br>T300-RIBBON-WH (White) |
| HL | 1966-RIBBON (For Superior performance) |
| | TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| HLX and HLX-NEL | 1966-RIBBON |
| HLX | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HTCM-SCE-TP | TMS-RJS-RIBBON-4HT |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT (White) |
| HS/HC | TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| | 1966-RIBBON (For Superior performance) |
| | LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less) |
| HX | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NCM-SCE-TP | 1966-RIBBON |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE 2X | 1966-RIBBON (For Superior performance)<br>TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | RIB-1976-300-110-L-0 |
| ZHD-SCE | 1966-RIBBON |

When printing CM-SCE-TP, NCM-SCE-TP or HTCM-SCE-TP, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.
*The T3212/TE3112 and the TE3124 Printers, are recommended for all CM-SCE-TP thickness variants.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T3212-PRINTER/TE3112-PRINTER & T3224-PRINTER/TE3124-PRINTER

Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE-FLAT-SP, D-CT Sizes 38.1 | 1966-RIBBON<br>(For Superior performance) |
| | RIB-1982-300-110-L-0<br>(For above Optimal fluid resistance) |
| | TMS-RJS-RIBBON-4DSCE<br>(For Standard performance) |
| D-SCE-FLAT-SP, D-CT Sizes 25.0 to 18.0 | RIB-1982-300-60-L-0 |
| | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP, D-CT Sizes 12 to 2.4 | 1966-RIBBON-NAR |
| D-SCE-FLAT-SP, D-CT (Black) | TMS-RJS-RIBBON-4AG (Silver)<br>T300-RIBBON-WH (White) |
| HT-CT Sizes 38.1 | TMS-RJS-RIBBON-4HT |
| HT-CT Sizes 25.4 to 19.0 | TMS-RJS-RIBBON-4HT-MED |
| HT-CT Sizes 12.7 to 2.4 | TMS-RJS-RIBBON-4HT-NAR |
| HT-CT (Black) | T300-RIBBON-WH-HT (White) |
| HXCT, HX-CT Sizes 38.1 | 1966-RIBBON |
| HXCT, HX-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| HXCT, HX-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |
| RPS-CT Sizes 38.1 | TMS-RJS-RIBBON-4RPSCE |
| RPS-CT Sizes 25.4 to 19.0 | 2000P-RIBBON-4TT-MED |
| RPS-CT Sizes 12.7 to 3.2 | 2000P-RIBBON-4TT-NAR |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above | 1966-RIBBON (For Superior performance)<br>TMS-RJS-RIBBON-4RPSCE<br>(For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED (For Superior performance)<br>2000P-RIBBON-4TT-MED<br>(For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 | 1966-RIBBON-NAR (For Superior performance)<br>2000P-RIBBON-4TT-NAR<br>(For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver),<br>T300-RIBBON-WH (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 (Black) | 2000P-RIBBON-4AG-MED (Silver),<br>2000P-RIBBON-WH-MED (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 (Black) | 2000P-RIBBON-4AG-NAR (Silver),<br>2000P-RIBBON-WH-NAR (White) |
| ZHD-CT Sizes 38.1 | 1966-RIBBON |
| ZHD-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| ZHD-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T3212-PRINTER/TE3112-PRINTER & T3224-PRINTER/TE3124-PRINTER

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| EET…P-8A<br>EET…P-9<br>EET…P-4<br>SET…PSL<br>PVF | For labels with liner width of 64mm or smaller: 1330-3300-06<br>For labels with liner width of 64mm to 80mm: 1330-3300-08<br>For labels with liner width of 80mm to 110mm: 1330-3300-10 |
| EET…V-8A | RIB-1976-300-110-L-0 |
| EET…G-4<br>EET…PY-9<br>EET…V-4-W<br>EET-SL…V-4-W<br>EET…K-9<br>PPT…DF-4, DF-9<br>KTT | For labels with liner width of 60mm or smaller:<br>RIB-1984-450-60-L-0-IN<br>For labels with liner width of 88mm to 60mm:<br>RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 88mm:<br>RIB-1984-360-114-L-0-IN |
| HPK | 1330-0607-10 |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| HPR105 | For printing onto Blue / Red / Green / Black:<br>RIB-1976-360-076-L-9 (White) for labels 76mm or smaller<br>RIB-1976-300-110-L-9 (White) for labels 110mm to 76mm |
| | For printing onto White:<br>1966-RIBBON (Black) for labels 100mm to 60mm<br>LBF-2000P-RIBBON-1966-MED (Black) for 60mm labels or smaller. |
| Polyamide (T1K/T2K/TSK) | 1330-0619-10 |
| KMT | TMS-RJS-RIBBON-4RPSCE |
| MC / RC / CP - Strips | RIB-1976-450-25-L-0 |
| Nylon Cloth (NC) | 1330-0607-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| PANEL LABEL (PL) | **Standard performance**<br>For labels with liner width of 60mm or smaller: RIB-1984-450-60-L-0-IN<br>For labels with liner width of 88mm to 60mm: RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 88mm: RIB-1984-300-110-L-0<br>**Superior Performance**<br>For labels with liner width of 60mm or smaller: RIB-1976-300-060-L-0<br>For labels with liner width of 110mm to 60mm: RIB-1976-300-110-L-0 |
| Self Lams (SBP) | For labels with liner width of 60mm to 100mm: TMS-RJS-RIBBON-4RPSCE.<br>For labels with liner width of 60mm to 40mm: 2000P-RIBBON-4TT-MED<br>For labels with liner width of 40mm or smaller: 2000P-RIBBON-4TT-NAR |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| SOLAR LABELS | 1330-0607-10 |
| TP Tape | 1330-0607-10 |
| TTVF | 1330-3300-10<br>T300-RIBBON-WH (White), see note 1 |
| WV / EET…V-9 | 1330-0607-10 (Ink wound out)<br>1330-0507-10 (Ink wound in) |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as Class 3 in accordance with BMS-13-47L section 5.1.12

RIB-1984 suffix "**IN**" signifies Inside wound ink (RIB-1984-360-114-L-0-**IN)**

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T7112DS-PRINTER

Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE-FLAT-SP, D-CT Sizes 38.1 | 1966-RIBBON<br>(For Superior performance) |
| | RIB-1982-300-110-L-0<br>(For above Optimal fluid resistance) |
| | TMS-RJS-RIBBON-4DSCE<br>(For Standard performance) |
| D-SCE-FLAT-SP, D-CT Sizes 25.0 to 18.0 | RIB-1982-300-60-L-0 |
| | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP, D-CT Sizes 12 to 2.4 | 1966-RIBBON-NAR |
| D-SCE-FLAT-SP, D-CT (Black) | TMS-RJS-RIBBON-4AG (Silver)<br>T300-RIBBON-WH (White) |
| HT-CT Sizes 38.1 | TMS-RJS-RIBBON-4HT |
| HT-CT Sizes 25.4 to 19.0 | TMS-RJS-RIBBON-4HT-MED |
| HT-CT Sizes 12.7 to 2.4 | TMS-RJS-RIBBON-4HT-NAR |
| HT-CT (Black) | T300-RIBBON-WH-HT (White) |
| HXCT, HX-CT Sizes 38.1 | 1966-RIBBON |
| HXCT, HX-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| HXCT, HX-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |
| RPS-CT Sizes 38.1 | TMS-RJS-RIBBON-4RPSCE |
| RPS-CT Sizes 25.4 to 19.0 | 2000P-RIBBON-4TT-MED |
| RPS-CT Sizes 12.7 to 3.2 | 2000P-RIBBON-4TT-NAR |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above | 1966-RIBBON (For Superior performance)<br>TMS-RJS-RIBBON-4RPSCE<br>(For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED (For Superior performance)<br>2000P-RIBBON-4TT-MED<br>(For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 | 1966-RIBBON-NAR (For Superior performance)<br>2000P-RIBBON-4TT-NAR<br>(For Standard performance) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver),<br>T300-RIBBON-WH (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 (Black) | 2000P-RIBBON-4AG-MED (Silver),<br>2000P-RIBBON-WH-MED (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 (Black) | 2000P-RIBBON-4AG-NAR (Silver),<br>2000P-RIBBON-WH-NAR (White) |
| ZHD-CT Sizes 38.1 | 1966-RIBBON |
| ZHD-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| ZHD-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T7112DS-PRINTER

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| EET…P-8A<br>EET…P-9<br>EET…P-4<br>SET…PSL<br>PVF | For labels with liner width of 64mm or smaller: 1330-3300-06<br>For labels with liner width of 64mm to 80mm: 1330-3300-08<br>For labels with liner width of 80mm to 110mm: 1330-3300-10 |
| EET…V-8A | RIB-1976-300-110-L-0 |
| EET…G-4<br>EET…PY-9<br>EET…V-4-W<br>EET-SL…V-4-W<br>EET…K-9 | For labels with liner width of 60mm or smaller:<br>RIB-1984-450-60-L-0-IN<br>For labels with liner width of 88mm to 60mm:<br>RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 88mm:<br>RIB-1984-360-114-L-0-IN |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| HPR105 | For printing onto Blue / Red / Green / Black:<br>RIB-1976-360-076-L-9 (White) for labels 76mm or smaller<br>RIB-1976-300-110-L-9 (White) for labels 110mm to 76mm |
| | For printing onto White:<br>1966-RIBBON (Black) for labels 100mm to 60mm<br>LBF-2000P-RIBBON-1966-MED (Black) for 60mm labels or smaller. |
| Polyamide (T1K/T2K/TSK) | 1330-0619-10 |
| Nylon Cloth (NC) | 1330-0607-10 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-10 |
| PANEL LABEL (PL) | **Standard performance**<br>For labels with liner width of 60mm or smaller: RIB-1984-450-60-L-0-IN<br>For labels with liner width of 88mm to 60mm: RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 88mm: RIB-1984-300-110-L-0<br>**Superior Performance**<br>For labels with liner width of 60mm or smaller: RIB-1976-300-060-L-0<br>For labels with liner width of 110mm to 60mm: RIB-1976-300-110-L-0 |
| Self Lams (SBP) | For labels with liner width of 60mm to 100mm: TMS-RJS-RIBBON-4RPSCE.<br>For labels with liner width of 60mm to 40mm: 2000P-RIBBON-4TT-MED<br>For labels with liner width of 40mm or smaller: 2000P-RIBBON-4TT-NAR |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| TTVF | 1330-3300-10<br>T300-RIBBON-WH (White), see note 1 |
| WV / EET…V-9 | 1330-0607-10 (Ink wound out)<br>1330-0507-10 (Ink wound in) |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as Class 3 in accordance with BMS-13-47L section 5.1.12

RIB-1984 suffix "**IN**" signifies Inside wound ink (RIB-1984-360-114-L-0-**IN**)

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

### SQUIX 6.3/300 Printer

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| TTVF | 1330-3300-15 (For label width up to 152mm (6 inch)) |

The SQUIX 6.3/300 printer is only for use with TTVF labels, please contact your local TE representative for details.

# SECTION 2, CURRENT INK JET & LASER PRINTERS

## Ink Jet Printers

### Epson GP-C831

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark 1 & 6 | DURA BRITE ULTRA (Epson ink) |

### Epson WF-7310DTW

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

## Laser Printers

### HP M452nw Laser Jet Pro

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| LSR self-laminating polyester labels | HP 410A |
| CSL self-laminating polyester labels | HP 410A |

### SL-M2026W A4 Mono Wireless Laser Printer

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| LSR self-laminating polyester labels | MLT-D1115 |
| CSL self-laminating polyester labels | MLT-D1115 |

Ink jet and Laser printers are recommended for use with the compatible products and standard inks detailed in section 2. Printers and genuine inks are to be sourced locally by customers.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

# SECTION 3, TERMINAL BLOCK TT PRINTER

## HTP600 Printer

| COMPATIBLE PRODUCTS | STANDARD RIBBON CASSETTE |
|---|---|
| **TERMINAL BLOCK MARKERS** | RIB1-B (Black)<br>RIB1-BL (Blue)<br>RIB1-GN (Green)<br>RIB1-RD (Red) |
| MC, RC/CPMF, RCL/RCP/RCS/RCW, CPMF | |
| **TERMINAL BLOCK ACCESSORIES MARKERS** | |
| MCLH/MC/RCPEAD, MC, PAM | |
| **WIRE AND CABLE MARKERS** | |
| TDM, WMTT, TPMF | |
| **WIRE AND CABLE FLAT MARKERS** | |
| ETF | |
| **PUSH BUTTON MARKERS** | |
| PTS / PPB | |
| **MODULAR DEVICE MARKERS** | |
| TAP/MG, TAP | |
| **COMPONENT AND EQUIPMENT MARKERS** | |
| BA4 / WMTT, VYT/TAA | |
| **PANEL MARKERS** | |
| PAT/PPT | |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

# SECTION 4, RIBBON ORDERING DETAILS

## Cable Identification markers (25.4mm ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|---|---|
| 1330-3300-10 | 980892-000 |
| 1966-RIBBON | F55931-000 |
| LBF-2000P-RIBBON-1966-MED | 6-1768383-4 |
| 1966-RIBBON-NAR | 1-2186559-1 |
| TMS-RJS-RIBBON-4RPSCE | 557721-000 |
| 2000P-RIBBON-4TT-MED | 893803-000 |
| 2000P-RIBBON-4TT-NAR | 277493-000 |
| TMS-RJS-RIBBON-4DSCE | 311292-000 |
| RIB-1982-300-110-L-0 | 1-2186538-1 |
| RIB-1982-240-110-L-0-T200 | 1-2186549-1 |
| RIB-1982-300-60-L-0 | 1-2186540-1 |
| RIB-1976-300-110-L-0 | 1-2186547-1 |
| TMS-RJS-RIBBON-4HT | 754073-000 |
| TMS-RJS-RIBBON-4HT-MED | 1-2186491-1 |
| TMS-RJS-RIBBON-4HT-NAR | 1-2186496-1 |
| T300-RIBBON-WH-4HT (White) | 154739-000 |
| T300-RIBBON-WH (White) | 650784-000 |
| 2000P-RIBBON-WH-MED (White) | 094514-000 |
| 2000P-RIBBON-WH-NAR (White) | 530304-000 |
| TMS-RJS-RIBBON-4AG (Silver) | 124503-000 |
| 2000P-RIBBON-4AG-MED | 351013-000 |
| 2000P-RIBBON-4AG-NAR | 346933-000 |
| 1330-0607-10 | 742412-000 |
| 1330-0507-10 | 900742-000 |

## Cable Identification markers (12.7mm ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|---|---|
| TMS-101-RIBBON-4DSCE | 505478-000 |
| T200-RIBBON-1966 | D60849-000 |
| 1330-0607-T200 | E45478-000 |
| TMS-101-RIBBON-4HT | 746617-000 |
| T200-RIBBON-WH-4HT (White) | 086961-000 |
| TMS-101-RIBBON-4RPSCE | 310109-000 |
| TMS-101-RIBBON-4AG (Silver) | 252557-000 |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## Labels (25.4mm ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|---|---|
| 1330-0607-10 | 742412-000 |
| 1330-0507-10 | 900742-000 |
| TTB-060SC/300 | 2-1768049-6 |
| TTB-076SC/300 | 3-1768049-0 |
| TTB-084SC/300 | C75514-000 |
| TTB-110SC/300 | 3-1768049-6 |
| RIB-1984-450-60-L-0-IN | 1-2186560-1 |
| RIB-1984-450-60-L-0 | 1-2186563-1 |
| RIB-1984-360-88-L-0-IN | 1-2186561-1 |
| RIB-1984-300-110-L-0 | 1-2186564-1 |
| RIB-1984-360-114-L-0-IN | 1-2186562-1 |
| 1330-0619-10 | 952888-000 |
| TTB-110SC/300WH | 3-1768049-8 |
| 1330-0600-10 | 143060-000 |
| 1966-RIBBON | F55931-000 |
| TMS-RJS-RIBBON-4RPSCE | 557721-000 |
| 2000P-RIBBON-4TT-MED | 893803-000 |
| RIB-1976-300-60-L-0 | 1-2186548-1 |
| RIB-1976-300-110-L-0 | 1-2186547-1 |
| RIB-1976-360-076-L-9 (White) | 1-2186321-1 |
| RIB-1976-300-110-L-9 (White) | 1-2186043-1 |
| 1330-3300-10 (For labels with liner width of 110mm or smaller) | 980892-000 |
| 1330-3300-15 (For labels with liner width of 110mm to 165mm) | 562492-000 |

## Labels (12.7mm ID core) ordering details

| DESCRIPTION | TE PART NUMBER |
|---|---|
| 1330-0607-T200 | E45478-000 |
| 1330-0619-T200 | C49013-000 |
| TMS-101-RIBBON-4RPSCE | 310109-000 |
| 1330-3300-101TT | C95590-000 |
| 1330-TTB-T200 | 1-1768384-8 |
| 1330-0600-T200 | C36369-000 |

For full ribbon ordering details, shelf-life conditions and dimensions please consult TE document **TTDS-257**.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

**HTP600 (Terminal Block TT printer) ordering details**

| DESCRIPTION | TE PART NUMBER |
|---|---|
| RIB1-RD | 1SNA235735R0000 |
| RIB1-B | 1SNA235734R0000 |
| RIB1-BL | 1SNA235732R0000 |
| RIB1-GN | 1SNA235729R0000 |

All Dot Matrix inks are now obsolete please see IPB-209 for further details

## Trademarks

TMS, TE Connectivity, TE connectivity (logo), Every Connection Counts and WinTotal are trademarks of the Tyco Electronics group of companies and its licensors. Other products, logos, and Company names mentioned herein may be trademarks of their respective owners.

Tedlar is a trademarks of E I du Pont de Nemours & Company for polymide films.

## Related Documents:

TTDS-257 Printing Ribbons and Inks

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

# SECTION 5, DISCONTINUED TT PRINTERS

## T208M-Printer and T212M-Printer (Discontinued)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE | TMS-101-RIBBON-4DSCE (For Standard performance) |
| HLX-NEL* | T200-RIBBON-1966 |
| HPK | 1330-0607-T200 |
| HT-SCE | TMS-101-RIBBON-4HT |
| HT-SCE (Black) | T200-RIBBON-WH-4HT (White) |
| HX-SCE* | T200-RIBBON-1966 |
| NBC-SCE | TMS-101-RJS-RIBBON-4HT |
| RPS | TMS-101-RIBBON-4RPSCE |
| Shrinkmark | TMS-101-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE 2X | TMS-101-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-101-RIBBON-4AG (silver)<br>T200-RIBBON-WH (White) |
| TMS-90-SCE* | T200-RIBBON-1966 |

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-T200 |
| Destructible Polyethylene (TN) | 1330-0607-T200 |
| EP Paper Labels | 1330-0600-T200 |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-T200 |
| Nylon Cloth (NC) | 1330-0607-T200 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-T200 |
| Self Lams (SBP) | TMS-101-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-101TT |
| Self Lams (SP) | 1330-0607-T200 |
| PVF | 1330-3300-101TT |
| TTVF | 1330-3300-101TT<br>T200-RIBBON-WH (White), see note 1 |
| White Vinyl (WV) | 1330-0607-T200 |

* HX-SCE, HLX-NEL & TMS-90-SCE for T212M only
Note: T212M-PRINTER and T208M-PRINTER has been superseded by the T200-IDENT-PRINTER, for both Label and cable Ident products.

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as Class 3 in accordance with BMS-13-47L section 5.1.12

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T200-Label-Printer (Discontinued)

Labels (Only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-T200 |
| Destructible Polyethylene (TN) | 1330-0607-T200 |
| EET (P-8A, P-9, P-4) | 1330-TTB-T200 |
| EET (PY-9) | 1330-TTB-T200 |
| EET (G-4) | 1330-TTB-T200 |
| EET (V-8A, V-4-W, SL…V-4-W) | 1330-TTB-T200 |
| EET (V-9) | 1330-TTB-T200 |
| EET (K-9) | 1330-TTB-T200 |
| HPK | 1330-0607-T200 |
| Polyimide (T1K/T2K) | 1330-0619-T200 |
| KTT | 1330-TTB-T200 |
| Nylon Cloth (NC) | 1330-0607-T200 |
| Paper (EP) | 1330-0600-T200 |
| Polyesters (WP/MP/HW/HM/MV/HMM) | 1330-0607-T200 |
| PPT | 1330-TTB-T200 |
| Self Lams (SBP) | TMS-101-RIBBON-4RPSCE |
| Self Lams (PVF) | 1330-3300-101TT |
| Self Lams (SP) | 1330-0607-T200 |
| SOLAR LABELS | 1330-0607-T200 |
| PVF | 1330-3300-101TT |
| TTVF | 1330-3300-101TT<br>T200-RIBBON-WH (White), see note 1 |
| White Vinyl (WV) | 1330-0607-T200 |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-47L section 5.1.12

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T312M-Printer and T312Mi-Printer (Discontinued)

Cable Identification markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| *CM-SCE-TP | 1966-RIBBON |
| D-SCE | TMS-RJS-RIBBON-4DSCE (For Standard performance) |
| | RIB-1982-300-110-L-0 (For above Optimal fluid resistance) |
| | 1966-RIBBON (For Superior performance) |
| [1]HL | TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| [1]HL | 1966-RIBBON (For Superior performance) |
| HLX | 1966-RIBBON |
| HS/HC | TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| HS/HC | 1966-RIBBON (For Superior performance) |
| HTCM-SCE-TP | TMS-RJS-RIBBON-4HT |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT (white) |
| HX | 1966-RIBBON |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NCM-SCE-TP | 1966-RIBBON |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE and TMS-SCE-2X | TMS-RJS-RIBBON-4RPSCE (For Standard performance) |
| * TMS-SCE and TMS-SCE 2X | *1966-RIBBON (For Superior performance) |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (silver)<br>T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | RIB-1976-300-110-L-0 |
| ZHD-SCE | 1966-RIBBON |

[1]Note: HL sizes HL253 and HL203 can be printed on TE3112 only
Note: T312M is superseded by the T312Mi
*Note: When printing with 1966-RIBBON. Select High energy and half speed check boxes. This feature is only available in WinTotal 5.4.03 or higher
When printing CM-SCE-TP, HTCM-SCE-TP or NCM-SCE-TP, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer. *The TE312M-Printer and T312Mi-Printer are recommended for all CM-SCE-TP thickness variants.

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T312M-Printer and T312Mi-Printer (Discontinued)

Labels

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| HPK | 1330-0607-10 |
| HPR100-A / 101-A / 110 | 1966-RIBBON |
| HPR105 | For printing onto Blue / Red / Green:<br>RIB-1976-360-076-L-9 (White) for labels 76mm or smaller<br>RIB-1976-300-110-L-9 (White) for labels 110mm to 76mm |
| | For printing onto White:<br>1966-RIBBON (Black) for labels 100mm to 60mm<br>LBF-2000P-RIBBON-1966-MED (Black) for 60mm labels or smaller. |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| PANEL LABEL (PL) | **Standard performance**<br>For labels with liner width of 60mm or smaller: RIB-1984-450-60-L-0-IN<br>For labels with liner width of 90mm to 60mm: RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529<br><br>**Superior Performance**<br>For labels with liner width of 60mm or smaller: RIB-1976-300-060-L-0<br>For labels with liner width of 110mm to 60mm: RIB-1976-300-110-L-0 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| Self Lams (SBP) | TMS-RJS-RIBBON-4RPSCE.<br>For labels with liner width of 60mm to 40mm:<br>2000P-RIBBON-4TT-MED<br>For labels with liner width of 40mm or smaller:<br>2000P-RIBBON-4TT-NAR |
| Self Lams (PVF) | 1330-3300-10 |
| Self Lams (SP) | 1330-0607-10 |
| PVF | 1330-3300-10 |
| TTVF | 1330-3300-10<br>T300-RIBBON-WH (White), see note 1 |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-47L section 5.1.12

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

### T612M-DS-Printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE | TMS-RJS-RIBBON-4DSCE<br>(For Standard performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE-2X | TMS-RJS-RIBBON-4RPSCE |

### T6112DS-Printer (Discontinued)

Cable Identification Markers

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE | 1966-RIBBON (For Superior performance) |
| | RIB-1982-300-110-L-0 (For above Optimal fluid resistance) |
| | TMS-RJS-RIBBON-4DSCE (For Standard performance) |
| HT-SCE, | TMS-RJS-RIBBON-4HT |
| HX-SCE | 1966-RIBBON |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| NHT-SCE | TMS-RJS-RIBBON-4HT |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (2X) | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | TMS-RJS-RIBBON-4AG (Silver)<br>T300-RIBBON-WH (White) |
| TMS-90-SCE | 1966-RIBBON |
| UV-SCE | RIB-1976-300-110-L-0 |
| ZHD-SCE | 1966-RIBBON |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T6112DS-Printer (Discontinued)

Continuous Tube

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE-FLAT-SP, D-CT Sizes 38.1 | 1966-RIBBON<br>(For Superior performance) |
| | RIB-1982-300-110-L-0<br>(For above optimal fluid resistance) |
| | TMS-RJS-RIBBON-4DSCE<br>(For Standard performance) |
| D-SCE-FLAT-SP, D-CT Sizes 25.4 to 19.0 | RIB-1982-300-60-L-0 |
| | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP, D-CT Sizes 12.7 to 2,4 | 1966-RIBBON-NAR |
| D-SCE-FLAT-SP, D-CT (Black) | TMS-RJS-RIBBON-4AG (Silver),<br>T300-RIBBON-WH (White) |
| HT-CT Sizes 38.1 and above | TMS-RJS-RIBBON-4HT |
| HT-CT Sizes 19.0 and 25.4 | TMS-RJS-RIBBON-4HT-MED |
| HT-CT Sizes 2.4 to 12.7 | TMS-RJS-RIBBON-4HT-NAR |
| HT-CT (Black) | T300-RIBBON-WH-HT (White) |
| HXCT, HX-CT Sizes 38.1 | 1966-RIBBON |
| HXCT, HX-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| HXCT, HX-CT Sizes 12.7 to 2.4 | 1966-RIBBON-NAR |
| RPS-CT Sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| RPS-CT Sizes 25.4 to 19.0 | 2000P-RIBBON-4TT-MED |
| RPS-CT Sizes 17.7 to 2.4 | 2000P-RIBBON-4TT-NAR |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 | 2000P-RIBBON-4TT-MED |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 | 2000P-RIBBON-4TT-NAR |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver),<br>T300-RIBBON-WH (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 25.4 to 19.0 (Black) | 2000P-RIBBON-4AG-MED (Silver),<br>2000P-RIBBON-WH-MED (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP Sizes 12.7 to 2.4 (Black) | 2000P-RIBBON-4AG-NAR (Silver),<br>2000P-RIBBON-WH-NAR (White) |
| ZHD-CT Sizes 38.1 and above | 1966-RIBBON |
| ZHD-CT Sizes 25.4 to 19.0 | LBF-2000P-RIBBON-1966-MED |
| ZHD-CT Sizes 12.7 to 2,4 | 1966-RIBBON-NAR |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## TTD03E / TTD04E / TTD05E / TTD06E-Printer (Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| IKT…PV-4<br>IKT…PY-9<br>IMT…PV-4<br>IMT…PY-9<br>EET…PY-9<br>EET…G-4<br>EET…V-8A<br>EET…V-4-W<br>EET-SL…V-4-W<br>EET…K-9<br>PPT…DF-4<br>PPT…DF-9 | For labels with liner width of 60mm to 40mm:<br>RIB-1984-450-60-L-0-INS<br>For labels with liner width of 90mm to 76mm:<br>TTB-090SC/36-AQ529<br>For labels with liner width of 110mm to 90mm:<br>RIB-1984-300-110-L-0<br>For labels with liner width of 114mm to 110mm:<br>RIB-1984-360-114-L-0-IN<br>For labels with liner width of 166mm to 165mm:<br>TTB-166SC/360AQ529<br>When “Ink in” is required delete “S” (TTB-040SC/450AQ529) |
| EET…P-8A<br>EET…P-9<br>EET…P-4<br>EET…V-9<br>SET…PSL | For labels with liner width of 60mm or smaller:<br>TTB-060SC/300<br>For labels with liner width of 76mm to 60mm:<br>TTB-076SC/300<br>For labels with liner width of 84mm to 76mm:<br>TTB-084SC/300<br>For labels with liner width of 110mm to 84mm:<br>TTB-110SC/300<br>For labels with liner width of 128mm to 110mm:<br>TTB-128SC/300<br>For labels with liner width of 145mm to 128mm:<br>TTB-145SC/300<br>For labels with liner width of 170mm to 145mm:<br>TTB-170SC/300 |

## TTD03E / TTD04E / TTD05E / TTD06E-Printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| PPT…DF-4<br>PPT…DF-9<br>KMT<br>EP | For labels with liner width of 76mm or smaller:<br>TTB-076SC/300WH<br>For labels with liner width of 84mm to 76mm:<br>TTB-084SC/300WH<br>For labels with liner width of 110mm to 84mm:<br>TTB-110SC/300WH<br>For labels with liner width of 145mm to 110mm:<br>TTB-145SC/300WH<br>For labels with liner width of 170 to 145mm:<br>TTB-170SC/300WH |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## TTP5200 / TTP5300 Printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| IKT…PV-4<br>IKT…PY-9<br><br>IMT…PV-4<br>IMT…PY-9<br><br>EET…PY-9<br>EET…V-8A<br>EET…G-4<br><br>EET…V-4-W<br>EET-SL…V-4-W<br>EET…K-9<br>PPT…DF-4<br><br><br>PPT…DF-9 | <br><br>For labels with liner width of 60mm to 40mm:<br>RIB-1984-450-60-L-0-INS<br><br>For labels with liner width of 90mm to 76mm:<br>RIB-1984-360-88-L-0-IN<br>For labels with liner width of 110mm to 90mm:<br>RIB-1984-300-110-L-0<br>For labels with liner width of 114mm to 110mm:<br>RIB-1984-360-114-L-0-IN |
| <br><br><br>EET…P-8A<br><br>EET…P-9<br><br>EET…P-4<br><br><br><br>EET…V-9<br><br>SET…PSL | For labels with liner width of 60mm or smaller:<br>TTB-060SC/300<br>For labels with liner width of 76mm to 60mm:<br>TTB-076SC/300<br>For labels with liner width of 84mm to 76mm:<br>TTB-084SC/300<br>For labels with liner width of 110mm to 84mm:<br>TTB-110SC/300<br>For labels with liner width of 128mm to 110mm:<br>TTB-128SC/300<br>For labels with liner width of 145mm to 128mm:<br>TTB-145SC/300<br>For labels with liner width of 170mm to 145mm:<br>TTB-170SC/300 |

## TTP5200 / TTP5300 Printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| <br>PPT…DF-4<br><br>PPT…DF-9<br><br>KMT<br><br>EP | For labels with liner width of 76mm or smaller:<br>TTB-076SC/300WH<br>For labels with liner width of 84mm to 76mm:<br>TTB-084SC/300WH<br>For labels with liner width of 110mm to 84mm:<br>TTB-110SC/300WH<br>For labels with liner width of 145mm to 110mm:<br>TTB-145SC/300WH<br>For labels with liner width of 170mm to 145mm:<br>TTB-170SC/300WH |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

## T408M-Printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| D-SCE | TMS-RJS-RIBBON-4DSCE<br>(For Standard performance) |
| D-SCE | 1966-RIBBON (For Superior performance) |
| HL | TMS-RJS-RIBBON-4RPSCE |
| HLX | 1966-RIBBON |
| HPK | 1330-0607-10 |
| HT-SCE | TMS-RJS-RIBBON-4HT |
| HT-SCE (Black) | T300-RIBBON-WH-4HT (White) |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KTT | RIB-1984-360-114-L-0-IN |
| NBC-SCE | TMS-RJS-RIBBON-4HT |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| RPS | TMS-RJS-RIBBON-4RPSCE |
| Self-Lams (SBP) | TMS-RJS-RIBBON-4RPSCE.<br>For labels with liner width of 60mm to 40mm:<br>2000P-RIBBON-4TT-MED<br>For labels with liner width of 40mm or smaller:<br>2000P-RIBBON-4TT-NAR |
| Self-Lams (PVF) | 1330-3300-10 |
| Self-Lams (SP) | 1330-0607-10 |
| Shrinkmark | TMS-RJS-RIBBON-4RPSCE |
| PVF | 1330-3300-10 |
| TTVF | 1330-3300-10<br>T300-RIBBON-WH (White), see note 1 |
| TMS-SCE and TMS-SCE 2X | TMS-RJS-RIBBON-4RPSCE |
| TMS-SCE (Black) | T300-RIBBON-WH (White) or<br>TMS-RJS-RIBBON-4AG (Silver) |
| TMS-90-SCE | 1966-RIBBON |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as Class 3 in accordance with BMS-13-47L section 5.1.12

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

### T308S / T312S-Printer (Discontinued)

Labels (only)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| Decals (TTP) | 1330-0607-10 |
| Destructible Polyethylene (TN) | 1330-0607-10 |
| HPK | 1330-0607-10 |
| Polyimide (T1K/T2K/TSK/T2Y) | 1330-0619-10 |
| KTT | RIB-1984-360-114-L-0-IN |
| Nylon Cloth (NC) | 1330-0607-10 |
| Paper (EP) | 1330-0600-10 |
| Self-Lams (SBP) | TMS-RJS-RIBBON-4RPSCE.<br>For labels with liner width of 60mm to 40mm:<br>2000P-RIBBON-4TT-MED<br>For labels with liner width of 40mm or smaller:<br>2000P-RIBBON-4TT-NAR |
| Self-Lams (PVF) | 1330-3300-10 |
| Self-Lams (SP) | 1330-0607-10 |
| Polyesters (WP/MP/CP/HW/HM/MV/HMM) | 1330-0607-10 |
| PVF | 1330-3300-10 |
| TTVF | 1330-3300-10<br>T300-RIBBON-WH (White), see note 1 |
| TP Tape | 1330-0607-10 |
| White Vinyl (WV) | 1330-0607-10 |

### T2000CT-Printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| D-SCE-SP, D-CT | TMS-RJS-RIBBON-4DSCE |
| D-SCE-FLAT-SP, D-CT Sizes 25.0 and below | LBF-2000P-RIBBON-1966-MED |
| D-SCE-FLAT-SP, D-CT Sizes 38.1 and above | 1966-RIBBON |
| HT-CT | TMS-RJS-RIBBON-4HT |
| HT-CT (Black) | T300-RIBBON-WH-HT (White) |
| HXCT, HX-CT Sizes 25.4 and below | LBF-2000P-RIBBON-1966-MED |
| HXCT, HX-CT Sizes 25.4 and above | 1966-RIBBON |
| RPS-CT sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| RPS-CT sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| RPS-CT sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 | 2000P-RIBBON-4TT-NAR |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 | 2000P-RIBBON-4TT-MED |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP sizes 38.1 and above | TMS-RJS-RIBBON-4RPSCE |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black) | 2000P-RIBBON-4AG-NAR (Silver),<br>2000P-RIBBON-WH-NAR (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black) | 2000P-RIBBON-4AG-MED (Silver),<br>2000P-RIBBON-WH-MED (White) |
| TTMS, TMS-CT, TTMS-2X & TTMS-MP sizes 38.1 and above (Black) | TMS-RJS-RIBBON-4AG (Silver),<br>T300-RIBBON-WH (White) |
| ZHD-CT sizes 38.1 | 1966-RIBBON |
| ZHD-CT sizes 25.4 and bellow | LBF-2000P-RIBBON-1966-MED<br>(For print width of 60mm or less) |

Note 1, when printing TTVF labels with the recommended ribbons, mark permanence is classified as class 3 in accordance with BMS-13-47L section 5.1.12

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change

# SECTION 6, DISCONTINUED INKJET & CARD PRINTERS

### Epson WF-C5710 (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

### Epson WF-R5190DW (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

### Epson B-310N INKJET (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

### Epson Stylus Photo R285 INKJET (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark A4 sheets | Claria Photographic ink (Epson ink) |

### Epson Stylus Colour 1520 INKJET (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark 1 | Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink |
| Raymark A4 Sheets | Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink |

### Epson WF-4820DWF

| COMPATIBLE PRODUCTS | STANDARD INK |
|---|---|
| Raymark A4 sheets | DURA BRITE ULTRA (Epson ink) |

### BTT-02 Card printer (Discontinued)

| COMPATIBLE PRODUCTS | STANDARD RIBBON |
|---|---|
| BGS | BBB-060SC/200 (black). |
| BGF | |
| BET | |
| BTS | |
| BBK | |
| BBL | |
| BBS | |

### BTT-02 (card printer) ordering details

| DESCRIPTION | TE PART NUMBER |
|---|---|
| **BBB-060SC/200 (black).** | **1-1768016-4** |

© 2023 TE Connectivity Ltd. family of companies.
All Rights Reserved.
| Indicates Change