Pre-Assembled C2 Cabinet *C2RR Series*

[+] Zoom

Electronic Industries Alliance

RoHS

Features

- Heavy duty - welded rack - 1,500 lb (682 kg.) even load rating.
- Heavy duty: 14 gauge welded steel frame, 16 gauge side panels.
- Rails are made of 10 gauge zinc plated steel.
- Recommended maximum weight (C2F247836 tested) - 1,500 pounds (682 kg.).
- Finished in a rugged, textured powder paint finish.
- RoHS Compliant.
- Manufactured in North America.
- Note: "CG1" (Beige color) is being phased out from stock - replaced with "LG1" a light gray (RAL7035).
- If you would rather build your own system see our "Contempra 2" system.

- **All configurations include:**
  - One (1) Welded C2 Cabinet Frame
  - Two (2) Removable Side Panels (with 1/4 turn latches)
  - Four (4) Leveling Feet
  - Eight (8) Keys
  - Starter pack of 10-32 Screws (and cage nuts when applicable).

- **C2RR Series Specific Components Include:**
  - Four (4) Infinitely Adjustable - Tapped 10-32 Combination Mounting Rails
  - One (1) Solid Locking Door
  - One (1) Solid Top Panel

- **C2RR "D" Series Specific Components include:**
  - Four (4) Infinitely Adjustable - Tapped 10-32 Combination Mounting Rails
  - One (1) Window Front Locking Door (Note: CG1 assembly includes a BK1 door)
  - One (1) Louvered Rear Locking Door
  - One (1) Vented Top Panel with Four (4) 3.5" (89 mm) diameter cable access holes with covers

PRODUCT RESOURCES

Specification Sheet

Print Page

Part Tables

Gallery

Accessories

Cabinet Fan Tops

Vertical Cabinet Cable Manager

Two Post Mounting Cantilever Shelf

Four Post Fixed Depth Shelf

Four Post Mounting Zero Space Fixed Shelf

Four Post Mounting Adjustable Depth Shelf

Four Post Mounting Storage Drawer

Four Post Mounting Sliding Shelf

Four Post Mounting Keyboard Drawer

Rack Unit Label

Horizontal Lacing Bar

Horizontal Steel Ring Cable Manager

Horizontal Hinged Cable Manager

Horizontal Steel Finger Cable Manager

Horizontal Hinged Cable Guide

Vertical Cable Tray

Outlet Strips

Mounting Hardware

Rack Panels

Grounding

Caster Set

C2/C3 Bolt Down Kit

C2RR Rapid Rack

Click part number for details (e.g., CAD files, assembly instructions)

Units shown: **inch**. Switch units to: mm

Part No. Black	Part No. Beige*	Part No. Light Gray	Overall Dimensions Height	Width	Depth	Usable Mounting Dimensions Height	Width	Rack Units	Shipping Weight
C2RR194223BK1	C2RR194223CG1	C2RR194223LG1	49.31	23.00	23.63	42.06	19.00	24U	170
C2RR196323BK1	C2RR196323CG1	C2RR196323LG1	70.31	23.00	23.63	63.06	19.00	36U	218
C2RR197023BK1	C2RR197023CG1	C2RR197023LG1	77.31	23.00	23.63	70.06	19.00	40U	230
C2RR197823BK1	C2RR197823CG1	C2RR197823LG1	86.06	23.00	23.63	78.81	19.00	45U	254
C2RR194231BK1	C2RR194231CG1	C2RR194231LG1	49.31	23.00	31.50	42.06	19.00	24U	194
C2RR196331BK1	C2RR196331CG1	C2RR196331LG1	70.31	23.00	31.50	63.06	19.00	36U	250
C2RR197031BK1	C2RR197031CG1	C2RR197031LG1	77.31	23.00	31.50	70.06	19.00	40U	268
C2RR197831BK1	C2RR197831CG1	C2RR197831LG1	86.06	23.00	31.50	78.81	19.00	45U	290

C2RR "D" Series LAN/Data Rapid Rack

Click part number for details (e.g., CAD files, assembly instructions)

Units shown: **inch**. Switch units to: mm

Part No. Black	Part No. Beige*	Part No. Light Gray	Overall Dimensions Height	Width	Depth	Usable Mounting Dimensions Height	Width	Rack Units	Shipping Weight
C2RR197023DBK1	C2RR197023DCG1	C2RR197023DLG1	77.31	23.00	23.63	70.06	19.00	40U	295
C2RR197823DBK1	C2RR197823DCG1	C2RR197823DLG1	86.06	23.00	23.63	78.81	19.00	45U	330
C2RR197031DBK1	C2RR197031DCG1	C2RR197031DLG1	77.31	23.00	31.50	70.06	19.00	40U	315
C2RR197831DBK1	C2RR197831DCG1	C2RR197831DLG1	86.06	23.00	31.50	78.81	19.00	45U	355
C2RR247023DBK1	C2RR247023DCG1	-	77.31	28.00	23.63	70.06	24.00	40U	325
C2RR247823DBK1	C2RR247823DCG1	-	86.06	28.00	23.63	78.81	24.00	45U	342
C2RR247031DBK1	C2RR247031DCG1	-	77.31	28.00	31.50	70.06	24.00	40U	346
C2RR247831DBK1	C2RR247831DCG1	-	86.06	28.00	31.50	78.81	24.00	45U	363

Need Assistance? Contact Us.

Data subject to change without notice.

© 2013. Hammond Manufacturing Ltd. All rights reserved.