Wall-mounting steel enclosures
Selection guide






Specifications						Spacial S3D				
Dimensions (1)			Nº of doors	IP	Weight (kg)*	Plain door		Glazed door	Plain mounting plate	Silkscreened mounting plate (2)
						With mounting plate	Without mounting plate	Without mounting plate		
H	W	D				Page S3D007_2			Page SPA002_2	
300	200	150	1	66	3.02	NSYS3D3215P	NSYS3D3215		NSYMM32	
300	250	150	1	66	3.48	NSYS3D32515P	NSYS3D32515	NSYS3D32515T	NSYMM3025	
300	300	150	1	66	3.90	NSYS3D3315P	NSYS3D3315	NSYS3D3315T	NSYMM33	
300	300	200	1	66	4.50	NSYS3D3320P	NSYS3D3320	NSYS3D3320T	NSYMM33	
300	400	150	1	66	4.82	NSYS3D3415P	NSYS3D3415	NSYS3D3415T	NSYMM43	NSYMS43
300	400	200	1	66	5.60	NSYS3D3420P	NSYS3D3420	NSYS3D3420T	NSYMM43	NSYMS43
400	300	150	1	66	4.90	NSYS3D4315P	NSYS3D4315	NSYS3D4315T	NSYMM43	NSYMS43
400	300	200	1	66	5.00	NSYS3D4320P	NSYS3D4320	NSYS3D4320T	NSYMM43	NSYMS43
400	400	200	1	66	6.50	NSYS3D4420P	NSYS3D4420	NSYS3D4420T	NSYMM44	NSYMS44
400	600	200	1	66	10.50	NSYS3D4620P	NSYS3D4620	NSYS3D4620T	NSYMM64	NSYMS64
400	600	250	1	66	12.00	NSYS3D4625P	NSYS3D4625	NSYS3D4625T	NSYMM64	NSYMS64
500	300	200	1	66	7.50	NSYS3D5320P	NSYS3D5320	NSYS3D5320T	NSYMM53	NSYMS53
500	400	200	1	66	9.30	NSYS3D5420P	NSYS3D5420	NSYS3D5420T	NSYMM54	NSYMS54
500	400	250	1	66	10.20	NSYS3D5425P	NSYS3D5425	NSYS3D5425T	NSYMM54	NSYMS54
500	500	200	1	66	11.18	NSYS3D5520P	NSYS3D5520	NSYS3D5520T	NSYMM55	NSYMS55
500	500	250	1	66	12.06	NSYS3D5525P	NSYS3D5525	NSYS3D5525T	NSYMM55	NSYMS55
600	400	200	1	66	11.00	NSYS3D6420P	NSYS3D6420	NSYS3D6420T	NSYMM64	NSYMS64
600	400	250	1	66	12.00	NSYS3D6425P	NSYS3D6425	NSYS3D6425T	NSYMM64	NSYMS64
600	500	250	1	66	16.20	NSYS3D6525P	NSYS3D6525	NSYS3D6525T	NSYMM65	
600	600	200	1	66	14.00	NSYS3D6620P	NSYS3D6620	NSYS3D6620T	NSYMM66	NSYMS66
600	600	250	1	66	15.00	NSYS3D6625P	NSYS3D6625	NSYS3D6625T	NSYMM66	NSYMS66
600	600	300	1	66	17.00	NSYS3D6630P	NSYS3D6630	NSYS3D6630T	NSYMM66	NSYMS66
600	600	400	1	66	19.00	NSYS3D6640P	NSYS3D6640	NSYS3D6640T	NSYMM66	NSYMS66
600	800	300	1	66	25.50	NSYS3D6830P	NSYS3D6830	NSYS3D6830T	NSYMM86	NSYMS86
700	500	250	1	66	15.00	NSYS3D7525P	NSYS3D7525	NSYS3D7525T	NSYMM75	NSYMS75
800	600	200	1	66	21.00	NSYS3D8620P	NSYS3D8620	NSYS3D8620T	NSYMM86	NSYMS86
800	600	250	1	66	23.00	NSYS3D8625P	NSYS3D8625	NSYS3D8625T	NSYMM86	NSYMS86
800	600	300	1	66	25.00	NSYS3D8630P	NSYS3D8630	NSYS3D8630T	NSYMM86	NSYMS86
800	600	400	1	66	29.00	NSYS3D8640P	NSYS3D8640	NSYS3D8640T	NSYMM86	NSYMS86
800	800	250	1	66	30.00	NSYS3D8825P	NSYS3D8825	NSYS3D8825T	NSYMM88	
800	800	300	1	66	32.00	NSYS3D8830P	NSYS3D8830	NSYS3D8830T	NSYMM88	
800	1000	300	1	66	38.00	NSYS3D81030P	NSYS3D81030		NSYMM108	
800	1000	300	2	55	43.50	NSYS3D81030DP	NSYS3D81030D		NSYMM108	
800	1200	300	2	55	46.00	NSYS3D81230DP	NSYS3D81230D		NSYMM128	
1000	600	250	1	66	28.00	NSYS3D10625P	NSYS3D10625	NSYS3D10625T	NSYMM106	
1000	600	300	1	66	30.60	NSYS3D10630P	NSYS3D10630	NSYS3D10630T	NSYMM106	
1000	600	400	1	66	33.00	NSYS3D10640P	NSYS3D10640	NSYS3D10640T	NSYMM106	
1000	800	250	1	66	35.00	NSYS3D10825P	NSYS3D10825	NSYS3D10825T	NSYMM108	
1000	800	300	1	66	38.00	NSYS3D10830P	NSYS3D10830	NSYS3D10830T	NSYMM108	
1000	800	400	1	66	42.00	NSYS3D10840P	NSYS3D10840	NSYS3D10840T	NSYMM108	
1000	1000	300	1	66	46.00	NSYS3D101030P	NSYS3D101030	NSYS3D101030T	NSYMM1010	
1000	1000	300	2	55	46.00	NSYS3D101030DP	NSYS3D101030D	NSYS3D101030DT	NSYMM1010	
1000	1200	300	2	55	53.00	NSYS3D101230DP	NSYS3D101230D		NSYMM1210	
1000	1200	400	2	55	60.00	NSYS3D101240DP	NSYS3D101240D		NSYMM1210	
1200	600	300	1	66	37.00	NSYS3D12630P	NSYS3D12630	NSYS3D12630T	NSYMM126	
1200	600	400	1	66	42.00	NSYS3D12640P	NSYS3D12640	NSYS3D12640T	NSYMM126	
1200	800	300	1	66	45.00	NSYS3D12830P	NSYS3D12830	NSYS3D12830T	NSYMM128	
1200	800	400	1	66	49.00	NSYS3D12840P	NSYS3D12840	NSYS3D12840T	NSYMM128	
1200	1000	300	1	66	53.00	NSYS3D121030P	NSYS3D121030	NSYS3D121030T	NSYMM1210	
1200	1000	300	2	55	54.00	NSYS3D121030DP	NSYS3D121030D	NSYS3D121030DT	NSYMM1210	
1200	1000	400	2	55	61.00	NSYS3D121040DP	NSYS3D121040D		NSYMM1210	
1200	1200	300	2	55	64.00	NSYS3D121230DP	NSYS3D121230D		NSYMM1212	
1200	1200	400	2	55	90.00	NSYS3D121240DP	NSYS3D121240D		NSYMM1212	
1400	1000	300	2	55	80.00	NSYS3D141030DP	NSYS3D141030D		NSYMM1410	

(1) For other dimensions, see our aplication offer.
(2) In inverted use, the marking is inverted.

*Enclosure without mounting plate.



Wall-fixing lugs
Steel: **NSYAEFPFSC**
Stainless steel: **NSYAEFPFXSC**
Page **SPB001_2**



Reinforcement for heavy loads
NSYAEFAHLBSC
Page **SPB001_2**



Cable gland
Page **SPA017_3**










						Electricity distribution				
Mounting plate						Modular mounting plate				
	Micro-perforated mounting plate	Telequick mounting plate	Bakelite mounting plate	DIN rail chassis	Type	Aluminium vertical rails (3)	Modular mounting plate	Nº of modules	Plain front panel	Plain mounting plate
	Page SPA002_3	Page SPA002_4	Page SPA002_6	Page SPA002_7		Page SPA002_12	Page SPA008_2		Page SPA008_5	
	NSYMF32	NSYMR32	NSYMB32			NSYMDVR3				
		NSYMR3025	NSYMB3025			NSYMDVR3				
	NSYMF33	NSYMR33	NSYMB33	NSYMD33	B	NSYMDVR3				
	NSYMF33	NSYMR33	NSYMB33	NSYMD33	B	NSYMDVR3				
	NSYMF43	NSYMR34	NSYMB43			NSYMDVR3				
	NSYMF43	NSYMR34	NSYMB43			NSYMDVR3				
	NSYMF43	NSYMR43	NSYMB43	NSYMD43	B	NSYMDVR4	NSYDLM24	24	NSYCTL300DLM	NSYPMP300DLM
	NSYMF43	NSYMR43	NSYMB43	NSYMD43	B	NSYMDVR4	NSYDLM24	24	NSYCTL300DLM	NSYPMP300DLM
	NSYMF44	NSYMR44				NSYMDVR4				
	NSYMF64	NSYMR46	NSYMB64			NSYMDVR4				
	NSYMF64	NSYMR46	NSYMB64			NSYMDVR4				
	NSYMF53	NSYMR53				NSYMDVR5				
	NSYMF54	NSYMR54	NSYMB54	NSYMD54	B	NSYMDVR5	NSYDLM48	48	NSYCTL400DLM	NSYPMP400DLM
	NSYMF54	NSYMR54	NSYMB54	NSYMD54	B	NSYMDVR5	NSYDLM48	48	NSYCTL400DLM	NSYPMP400DLM
	NSYMF55	NSYMR55				NSYMDVR5				
	NSYMF55	NSYMR55				NSYMDVR5				
	NSYMF64	NSYMR64	NSYMB64	NSYMD64	B	NSYMDVR6	NSYDLM48P	48	NSYCTL400DLM	NSYPMP400DLM
	NSYMF64	NSYMR64	NSYMB64	NSYMD64	B	NSYMDVR6	NSYDLM48P	48	NSYCTL400DLM	NSYPMP400DLM
	NSYMF65	NSYMR65	NSYMB65			NSYMDVR6				
	NSYMF66	NSYMR66		NSYMD66	A	NSYMDVR6	NSYDLM84	84	NSYCTL600DLM	NSYPMP600DLM
	NSYMF66	NSYMR66		NSYMD66	A	NSYMDVR6	NSYDLM84	84	NSYCTL600DLM	NSYPMP600DLM
	NSYMF66	NSYMR66		NSYMD66	A	NSYMDVR6	NSYDLM84	84	NSYCTL600DLM	NSYPMP600DLM
	NSYMF66	NSYMR66		NSYMD66	A	NSYMDVR6	NSYDLM84	84	NSYCTL600DLM	NSYPMP600DLM
	NSYMF86	NSYMR68	NSYMB86	NSYMD86**	A	NSYMDVR6				
	NSYMF75	NSYMR75	NSYMB75	NSYMD75	B	NSYMDVR7	NSYDLM66	66	NSYCTL500DLM	NSYPMP500DLM
	NSYMF86	NSYMR86	NSYMB86	NSYMD86	A	NSYMDVR8	NSYDLM84P	84*	NSYCTL600DLM	NSYPMP600DLM
	NSYMF86	NSYMR86	NSYMB86	NSYMD86	A	NSYMDVR8	NSYDLM112	112*	NSYCTL600DLM	NSYPMP600DLM
	NSYMF86	NSYMR86	NSYMB86	NSYMD86	A	NSYMDVR8	NSYDLM112	112*	NSYCTL600DLM	NSYPMP600DLM
	NSYMF86	NSYMR86	NSYMB86	NSYMD86	A	NSYMDVR8	NSYDLM112	112*	NSYCTL600DLM	NSYPMP600DLM
	NSYMF88	NSYMR88				NSYMDVR8				
	NSYMF88	NSYMR88				NSYMDVR8				
	NSYMF108	NSYMR810	NSYMB108			NSYMDVR8				
	NSYMF108	NSYMR810	NSYMB108			NSYMDVR8				
	NSYMF128	2 × NSYMR86+	2 × NSYMB86+	2 × NSYMB86+	A	NSYMDVR8				
	NSYMF106	NSYMR106	NSYMB106			NSYMDVR10	NSYDLM168	168**	NSYCTL600DLM	NSYPMP600DLM
	NSYMF106	NSYMR106	NSYMB106			NSYMDVR10	NSYDLM168	168**	NSYCTL600DLM	NSYPMP600DLM
	NSYMF106	NSYMR106	NSYMB106			NSYMDVR10	NSYDLM168	168**	NSYCTL600DLM	NSYPMP600DLM
	NSYMF108	NSYMR108	NSYMB108	NSYMD108	A	NSYMDVR10	NSYDLM240	240	NSYCTL800DLM	NSYPMP800DLM
	NSYMF108	NSYMR108	NSYMB108	NSYMD108	A	NSYMDVR10	NSYDLM240	240	NSYCTL800DLM	NSYPMP800DLM
	NSYMF108	NSYMR108	NSYMB108	NSYMD108	A	NSYMDVR10	NSYDLM240	240	NSYCTL800DLM	NSYPMP800DLM
	NSYMF1010	NSYMR1010				NSYMDVR10				
	NSYMF1010	NSYMR1010				NSYMDVR10				
	NSYMF1210	NSYMR1012	NSYMB1210			NSYMDVR10				
	NSYMF1210	NSYMR1012	NSYMB1210			NSYMDVR10				
	NSYMF126					NSYMDVR12				
	NSYMF126					NSYMDVR12				
	NSYMF128	NSYMR128		NSYMD128	A	NSYMDVR12				
	NSYMF128	NSYMR128		NSYMD128	A	NSYMDVR12				
	NSYMF1210	NSYMR1210	NSYMB1210			NSYMDVR12				
	NSYMF1210	NSYMR1210	NSYMB1210			NSYMDVR12				
	NSYMF1210	NSYMR1210	NSYMB1210			NSYMDVR12				
	2 × NSYMF126+	2 × NSYMR126+				NSYMDVR12				
	2 × NSYMF126+	2 × NSYMR126+				NSYMDVR12				
		NSYMR1410								

+ Order **NSYCRNGSDR** for double mounting of the mounting plates.

(3) Order nuts ref. **NSYAMCSF**. Steel siderail ref. **NSYMDVR12**.

* Possible assembling to ref. NSYDLM84P or NSYDLM112.
** Possible assembling to ref. NSYDLM168 or NSYDLM240.




Other cable entries
Page **SPA001_3**



Clip-on nuts
Page **SPA002_13**



Self-tapping screw
ref. **NSYS13M5HS**
Page **SPA007_2**

Wall-mounting steel enclosures
Selection guide




Dimensions (4)			Electronics and networks				Cable-entry accessories				
			19" racks				Cable-gland plates				
			Fixed	Number of U	Swing	Number of U	Entry type	Standard steel	Steel with knock-outs	Aluminium	Steel with cut-out for membrane
H	W	D	Page VDM004_2				Page S3D031_2	Page S3D031_3	Page S3D031_4	Page S3D031_3	Page S3D031_5
300	200	150					A	NSYTLA	NSYTLAK	NSYTLAU	
300	250	150					A	NSYTLA	NSYTLAK	NSYTLAU	
300	300	150					B	NSYTLB	NSYTLBK	NSYTLBU	
300	300	200					C	NSYTLC	NSYTLCK	NSYTLCU	NSYTLCFL
300	400	150					B	NSYTLB	NSYTLBK	NSYTLBU	
300	400	200					D	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
400	300	150					B	NSYTLB	NSYTLBK	NSYTLBU	
400	300	200					C	NSYTLC	NSYTLCK	NSYTLCU	NSYTLCFL
400	400	200					D	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
400	600	200	NSYVDM8UF	8	NSYVDM7UP	7	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
400	600	250	NSYVDM8UF	8	NSYVDM7UP	7	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
500	300	200					C	NSYTLC	NSYTLCK	NSYTLCU	NSYTLCFL
500	400	200					D	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
500	400	250					D	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
500	500	200					E	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
500	500	250					E	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
600	400	200					D	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
600	400	250					D	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
600	500	250					E	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
600	600	200	NSYVDM12UF	12	NSYVDM11UP	11	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
600	600	250	NSYVDM12UF	12	NSYVDM11UP	11	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
600	600	300	NSYVDM12UF	12	NSYVDM11UP	11	G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
600	600	400	NSYVDM12UF	12	NSYVDM11UP	11	G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
600	800	300					D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
700	500	250					E	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
800	600	200	NSYVDM17UF	17	NSYVDM16UP	16	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
800	600	250	NSYVDM17UF	17	NSYVDM16UP	16	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
800	600	300	NSYVDM17UF	17	NSYVDM16UP	16	G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
800	600	400	NSYVDM17UF	17	NSYVDM16UP	16	G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
800	800	250					D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
800	800	300					D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
800	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
800	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
800	1200	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1000	600	250	NSYVDM21UF	21	NSYVDM20UP	20	F	NSYTLF	NSYTLFK	NSYTLFU	NSYTLFFL
1000	600	300	NSYVDM21UF	21	NSYVDM20UP	20	G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
1000	600	400	NSYVDM21UF	21	NSYVDM20UP	20	G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
1000	800	250			NSYVDM20U8P	20	D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
1000	800	300			NSYVDM20U8P	20	D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
1000	800	400			NSYVDM20U8P	20	D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
1000	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1000	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1000	1200	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1000	1200	400					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1200	600	300					G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
1200	600	400					G	NSYTLG	NSYTLGK	NSYTLGU	NSYTLG2FL
1200	800	300			NSYVDM25U8P	25	D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
1200	800	400			NSYVDM25U8P	25	D*	NSYTLD	NSYTLDK	NSYTLDU	NSYTLDFL
1200	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1200	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1200	1000	400					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1200	1200	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1200	1200	400					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL
1400	1000	300					E*	NSYTLE	NSYTLEK	NSYTLEU	NSYTLEFL

(4) For other dimensions, see our application offer, page **S3D011_2**

*2 plates.



Earthing strip
ref. **NSYEDCOC**
Page **SFM036_3**

Spacial S3D










Composition accessories											
Internal door (5)	Step slides	Canopy	Fixing on post	Lateral plinth**		Plain front plinth (6)**		Support pillar adaptation plate	Support pillar	Door cross-rails
				100 mm	200 mm	100 mm	200 mm			
Page S3D029_2	Page SPA002_9	Page SPB013_3	Page SPB011_3	Page SPB011_4				Page S3D024_2		Page SPA004_8
		NSYTJ2015								
		NSYTJ2515								
		NSYTJ3015	NSYSFPSC30					NSYAEFP315S3D	NSYCOCN80	
	NSYSDCR200	NSYTJ3020	NSYSFPSC30					NSYAEFP32S3D	NSYCOCN80	
		NSYTJ4015	NSYSFPSC40					NSYAEFP315S3D	NSYCOCN80	
	NSYSDCR200	NSYTJ4020	NSYSFPSC40					NSYAEFP42S3D	NSYCOCN80	
NSYPIN43		NSYTJ3015	NSYSFPSC30					NSYAEFP315S3D	NSYCOCN80	
NSYPIN43	NSYSDCR200	NSYTJ3020	NSYSFPSC30					NSYAEFP32S3D	NSYCOCN80	
	NSYSDCR200	NSYTJ4020	NSYSFPSC40					NSYAEFP42S3D	NSYCOCN80	NSYTFPCRN4
	NSYSDCR200	NSYTJ6020	NSYSFPSC60							NSYTFPCRN6
	NSYSDCR250	NSYTJ6025	NSYSFPSC60							NSYTFPCRN6
	NSYSDCR200	NSYTJ3020	NSYSFPSC30					NSYAEFP32S3D	NSYCOCN80	
NSYPIN54	NSYSDCR200	NSYTJ4020	NSYSFPSC40					NSYAEFP42S3D	NSYCOCN80	NSYTFPCRN4
NSYPIN54	NSYSDCR250	NSYTJ4025	NSYSFPSC40					NSYAEFP42S3D	NSYCOCN80	NSYTFPCRN4
	NSYSDCR200	NSYTJ5020	NSYSFPSC50							NSYTFPCRN5
	NSYSDCR250	NSYTJ5025	NSYSFPSC50							NSYTFPCRN5
NSYPIN64	NSYSDCR200	NSYTJ4020	NSYSFPSC40					NSYAEFP42S3D	NSYCOCN80	NSYTFPCRN4
NSYPIN64	NSYSDCR250	NSYTJ4025	NSYSFPSC40					NSYAEFP42S3D	NSYCOCN80	NSYTFPCRN4
	NSYSDCR250	NSYTJ5025	NSYSFPSC50							
	NSYSDCR200	NSYTJ6020	NSYSFPSC60							NSYTFPCRN6
	NSYSDCR250	NSYTJ6025	NSYSFPSC60							NSYTFPCRN6
	NSYSDCR300	NSYTJ6030	NSYSFPSC60	NSYSPS3100SD	NSYSPS3200SD	NSYSPF6100	NSYSPF6200			NSYTFPCRN6
	NSYSDCR400	NSYTJ6040	NSYSFPSC60	NSYSPS4100SD	NSYSPS4200SD	NSYSPF6100	NSYSPF6200			NSYTFPCRN6
	NSYSDCR300	NSYTJ8030	NSYSFPSC80	NSYSPS3100SD	NSYSPS3200SD	NSYSPF8100	NSYSPF8200			NSYTFPCRN8
NSYPIN75	NSYSDCR250	NSYTJ5025	NSYSFPSC50							NSYTFPCRN5
NSYPIN86	NSYSDCR200	NSYTJ6020	NSYSFPSC60							NSYTFPCRN6
NSYPIN86	NSYSDCR250	NSYTJ6025	NSYSFPSC60							NSYTFPCRN6
NSYPIN86	NSYSDCR300	NSYTJ6030	NSYSFPSC60	NSYSPS3100SD	NSYSPS3200SD	NSYSPF6100	NSYSPF6200			NSYTFPCRN6
NSYPIN86	NSYSDCR400	NSYTJ6040	NSYSFPSC60	NSYSPS4100SD	NSYSPS4200SD	NSYSPF6100	NSYSPF6200			NSYTFPCRN6
	NSYSDCR250	NSYTJ8025	NSYSFPSC80							NSYTFPCRN8
	NSYSDCR300	NSYTJ8030	NSYSFPSC80	NSYSPS3100SD	NSYSPS3200SD	NSYSPF8100	NSYSPF8200			NSYTFPCRN8
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			NSYTFPCRN10
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			
	NSYSDCR300*	NSYTJ12030								
NSYPIN106	NSYSDCR250	NSYTJ6025								NSYTFPCRN6
NSYPIN106	NSYSDCR300	NSYTJ6030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF6100	NSYSPF6200			NSYTFPCRN6
NSYPIN106	NSYSDCR400	NSYTJ6040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF6100	NSYSPF6200			NSYTFPCRN6
NSYPIN108	NSYSDCR250	NSYTJ8025								NSYTFPCRN8
NSYPIN108	NSYSDCR300	NSYTJ8030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF8100	NSYSPF8200			NSYTFPCRN8
NSYPIN108	NSYSDCR400	NSYTJ8040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF8100	NSYSPF8200			NSYTFPCRN8
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			NSYTFPCRN10
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			
	NSYSDCR300*	NSYTJ12030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF12100	NSYSPF12200			
	NSYSDCR400*	NSYTJ12040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF12100	NSYSPF12200			
NSYPIN126	NSYSDCR300	NSYTJ6030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF6100	NSYSPF6200			
NSYPIN126	NSYSDCR400	NSYTJ6040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF6100	NSYSPF6200			
NSYPIN128	NSYSDCR300	NSYTJ8030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF8100	NSYSPF8200			NSYTFPCRN8
NSYPIN128	NSYSDCR400	NSYTJ8040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF8100	NSYSPF8200			NSYTFPCRN8
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			NSYTFPCRN10
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			
	NSYSDCR400	NSYTJ10040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF10100	NSYSPF10200			
	NSYSDCR300*	NSYTJ12030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF12100	NSYSPF12200			
	NSYSDCR400*	NSYTJ12040		NSYSPS4100SD	NSYSPS4200SD	NSYSPF12100	NSYSPF12200			
	NSYSDCR300	NSYTJ10030		NSYSPS3100SD	NSYSPS3200SD	NSYSPF10100	NSYSPF10200			

(5) To adjust the depth of the internal door, please order the step slides.
(6) Also available in ventilated version with cable gland for widths of 600 and 800, see page **SFM016_4**.

* Forthe double mounting plates, order also ref. **NSYSDRSDCR300** (D300) or **NSYSDRSDCR400** (D400).

To install the plinth to a wall-mounting enclosure, order ref. **NSYAPFWM.